

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS

■
VALLEY STONE

ORNAMENT
MARBLE
CEMENT
STONE
WOOD
OPUS

■
VALLEY STONE



“

There is no denying the grandeur of stone.
Be inspired by our collection of stone designs,
exclusively created to bring elegance and
beauty to your home.


”

VALLEY STONE

Light, Beige, Cinder and Graphite, Mars is a many-coloured and complex stone that bears the traces of the ages and reveals to us the simplicity with which Mother Nature creates masterpieces.

We reproduced the stone in its natural colours, preserving the design and the surface to be able to bring it to our homes in all its purity. Mars envelops us in well-being and harmony as only uncontaminated nature can do.

Cherished aesthetics, perfect in ergonomic and modular sizes. It offers excellent technical characteristics and absolute usability.






STONE

1

SURFACE



In&Out

2

THICKNESS

± 10mm

± 20mm

4

FORMATS



4


COLOURS



SALT



SAND




CINDER



COAL

“


VALLEY STONE SALT



PD36131
30 x 60CM | 12" x 24" ▲

PD126131
60 x 120CM | 24" x 48" ►

PD6131
60 x 60CM | 24" x 24" ▼



PD3131
30 x 30CM | 12" x 12" ►

Colourless crystalline solid common to the waters and in the earthy deposits throughout the world.





VALLEY STONE **SALT**

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial



9

NINE

RANDOM FACES
60cm x120cm



FLOOR/WALL VALLEY STONE SALT 60 X120cm MOSAIC





FLOOR VALLEY STONE SALT 30 X 60cm 60 X 60cm

“

VALLEY STONE SALT

Residue derived from
the combustion
of organic substances
with different
neutral colours.



FLOOR/WALL VALLEY STONE SALT 60 X 120cm



“

VALLEY STONE SAND

PD3132
30 x 30CM | 12" x 12" ▼



PD126132
60 x 120CM | 24" x 48" ▲

PD6132
60 x 60CM | 24" x 24" ►

PD36132
30 x 60CM | 12" x 24" ◄

Residue derived from the combustion
of organic substances with different
neutral colours.



FLOOR VALLEY STONE SAND 20 X120cm 60 X120cm

“

VALLEY STONE SAND

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial

“

9

NINE

RANDOM FACES
60cm x120cm





FLOOR/WALL VALLEY STONE SAND 60 X 120cm MOSAIC



FLOOR VALLEY STONE SAND 60 X 60cm



“

VALLEY STONE CINDER

PD36133
30 x 60CM | 12" x 24" ▲

PD126133
60 x 120CM | 24" x 48" ◀

PD6133
60 x 60CM | 24" x 24" ▼

PD3133
30 x 30CM | 12" x 12" ▲

Sedimentary rock made up of minute fragments of mineral rock whose colouring is linked to the typical elements of an area.



VALLEY STONE **CINDER**

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial



9

NINE

RANDOM FACES
60cm x120cm



FLOOR VALLEY STONE CINDER 60 X 60cm **WALL** VALLEY STONE CINDER 20 X 60cm 15 X 60cm 10 X 60cm



“ VALLEY STONE COAL



PD3136
30 x 30CM | 12" x 12" ▼

PD126136
60 x 120CM | 24" x 48" ▲

PD6136
60 x 60CM | 24" x 24" ►

PD36136
30 x 60CM | 12" x 24" ◀

Surface layer of our planet, with variable thickness from place to place, which rests on the bedrock.





VALLEY STONE COAL

FORMATS

60x120
60x60
30x60
30x30

SURFACES

In&Out

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential
Commercial



9

NINE

RANDOM FACES
60cm x120cm



FLOOR VALLEY STONE COAL 60 X 120cm





TECHNICAL SPECIFICATIONS

TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	PRESCRIBED VALUES	PADUA VALUES
MEASUREMENT & SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥35N/mm²
RESISTANCE TO ABRASION	EN ISO 10545-7	≤205mm³	≤160mm³
SLIP RESISTANCE, WET PENDULUM TEST METHOD, SLIDER 96	AS 4586-2013/AMDT 1-2017 APPENDIX A	N/A	P4
CHEMICAL PROPERTIES			
RESISTANCE TO CHEMICALS RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	MINIMUM GB	PASS
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	MINIMUM CLASS 3	PASS

PACKING SPECIFICATIONS

SERIES	SIZES	PCS / CTN	M² / CTN	M² / PLT	CTN / PLT	KG / PLT
VALLEY STONE	60x120 / 24"x48"	2	1.44	86.4	60	2070
	60x60 / 24"x24"	4	1.44	57.6	40	1240
	30x60 / 12"x24"	8	1.44	57.6	40	1240
	30x30 / 12"x12"	11	0.99	55.44	56	1232



“There is no denying the grandeur of stone. Be inspired by our collection of stone designs, exclusively created to bring elegance and beauty to your home.”





11TH FLOOR, BLDG T13, SMART CITY, NO.1 ZHIHUI RD.,
CHANCHENG FOSHAN, GUANGDONG, CHINA.

+86 757 8256 5826

www.paduaceramics.com